

CLAIMS

WHAT IS CLAIMED IS:

1. A connection cover comprising:
 - a first main body section comprising at least one opening;
 - a second main body section comprising at least one opening;
 - first and second connectors adapted to engage the first and second main body sections; and
 - the openings allowing at least two connection members to extend from the first and second main body sections when the first and second main body sections are engaged.
2. The connection cover of claim 1 wherein the connection cover is generally cylindrical in shape.
3. The connection cover of claim 1 wherein the first connector and second connector are releasably engageable.
4. The connection cover of claim 3 wherein the each connector comprises an insert and a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted to release the insert.
5. The connection cover of claim 1 further comprising more than one first connector and more than one second connector.
6. The connection cover of claim 1 wherein the first and second main body sections comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.
7. The connection cover of claim 1 wherein the connection members comprise cables comprising cable connectors adapted to connect the cables.

8. The connection cover of claim 1 wherein the connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.
9. The connection cover of claim 1 further comprising first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the connection members.
10. The connection cover of claim 9 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.
11. A connection cover comprising:
a first main body section comprising at least one opening;
a second main body section comprising at least one opening;
first and second connectors adapted to engage the first and second main body sections;
the openings allowing at least two connection members to extend from the first and second main body sections when the first and second main body sections are engaged; and
first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the connection members.
12. The connection cover of claim 11 wherein the connection cover is generally cylindrical in shape.
13. The connection cover of claim 11 wherein the first connector and second connector are releasably engageable.

14. The connection cover of claim 13 wherein the each connector comprises an insert and a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted to release the insert.
15. The connection cover of claim 11 further comprising more than one first connector and more than one second connector.
16. The connection cover of claim 11 wherein the first and second main body sections comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.
17. The connection cover of claim 11 wherein the connection members comprise cables comprising cable connectors adapted to connect the cables.
18. The connection cover of claim 11 wherein the connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.
19. The connection cover of claim 11 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.
20. A connection cover comprising:
a first main body section comprising at least one opening;
a second main body section comprising at least one opening;
first and second connectors adapted to releasably engage the first and second main body sections, each connector comprising an insert and a receptor adapted to receive the insert, the receptor comprising a releasing tab adapted to release the insert;
the openings allowing at least two connection members to extend from the first and

second main body sections when the first and second main body sections are engaged; and
first and second gaskets adapted to form a moisture-proof seal between the contact surfaces of the first and second main body sections as well as between the first and second main body section opening surfaces and the connection members.

21. The connection cover of claim 20 wherein the connection cover is generally cylindrical in shape.

22. The connection cover of claim 20 further comprising more than one first connector and more than one second connector.

23. The connection cover of claim 20 wherein the first and second main body sections further comprise more than one opening allowing more than two connection members to extend from the first and second main body sections.

24. The connection cover of claim 20 wherein the connection members comprise cables comprising cable connectors adapted to connect the cables.

25. The connection cover of claim 20 wherein the connection members comprise a cable comprising a cable connector and a cellular telephone antenna comprising an antenna connector adapted to connect to the cable connector.

26. The connection cover of claim 20 wherein each gasket further comprises a tongue section adapted to engage a corresponding groove section of the other gasket.